



## Hotspot Report, Brampton Park Golf Course TL 206716

[Compiled by Dr J Patrick Doody December 2015]

### Brampton Biodiversity Project



#### Location map

Members of the Huntingdonshire Fauna and Flora Society met to survey parts of Brampton Park golf course on the afternoon of the 21st September 2014. This 'bioblitz' formed part of a two year project (2103/14) to survey the biological resources in Brampton Parish.

The golf course was chosen as an area for special attention because there were known to be habitats with the potential for supporting a wide variety of plants and animals. A detailed survey was therefore undertaken. This concentrated in areas outside the more intensively managed greens, tees and fairways (Figure 1).

**Figure 1 Approximate area surveyed shown with dotted yellow line**




## History

During the Second World War, the need for material to construct local airfields and other infrastructure resulted in many gravel workings along the Great Ouse River valley. Aerial photographs from the 1940s show active gravel extraction either side of River Lane. The remaining fields, which now form part of the golf course, were grazed flood plain meadow grasslands (Figure 2).

**Figure 2 Approximate area surveyed in relation to gravel extraction in the 1940s**

## Results

In the old gravel workings, the vegetation has developed with relatively little interference. Here there is a good selection of tree and shrubs including native and a few introduced species. These areas provide habitat for a number of summer migrants including Blackcap, Chiffchaff, Willow Warbler and Garden Warbler, all heard singing on a previous visit in June. There are also several ‘fen-like’ habitats rich in species.



The gravel pits provide habitat for a variety of other species including aquatic plants. Birds of the wetlands included Heron and breeding Mallard, Moorhen and Coot. Canada geese were present on some of the fairways, with one party including more than 20 young.

The afternoon recording on the 21st identified over 400 species. These included 183 species of flowering plants, plus 1 conifer and 1 fern. There were 31 plant gall species, 48 species of moths and butterflies and a variety of other invertebrates including 12 species of spider. In total 194 invertebrates, excluding species recorded more than once by different observers.


Highlights included:



Elephant Hawk-moth, *Deilephila elpenor* (opposite left);

Long-winged Conehead, *Conocephalus discolor* (opposite right);

### Fine-leaved water Dropwort, *Oenanthe aquatica*.



The maps opposite show the distribution of *Oenanthe aquatica* in Huntingdonshire. The large squares are 10×10 km, the small squares 2×2 km (tetrads). The map on the left taken from Wells (2003) shows the plant to be present in 24 tetrads, mostly recorded before the year 2000.

Based on data provided by the Botanical Society of Britain and Ireland, the map on the right attempts to show the change in status post 2010. The plant distribution has decreased dramatically in recent years dropping from 24 tetrads, to recent sightings from just 13 scattered areas. It has been declining throughout its range and particularly in the east, so the discovery of

this plant from Brampton Park golf course, a new locality in Huntingdonshire, is good news.

**Status:** Native - Ponds and dykes, particularly those in which there is a well-marked seasonal fluctuation in water levels. Frequent in the Fens, uncommon elsewhere (Wells 2003).

Wells, T.C.E., 2003. *The Flora of Huntingdonshire and the Soke of Peterborough*. Huntingdonshire Fauna and Flora Society and T.C.E. Wells.

**Annex 1** provides details of the species recorded during the survey.

## Annex 1 Plant and animal records 21st September 2014

### Flowering Plants

Recorded by: Lynne Farrell, S Wells, P Walker and G Wyatt

<i>Acer campestre</i> , Field Maple	<i>Galium aparine</i> , Cleavers
<i>Acer pseudoplatanus</i> , Sycamore	<i>Galium palustre</i> , Marsh-bedstraw
<i>Achillea millefolium</i> , Yarrow	<i>Galium verum</i> , Lady's Bedstraw
<i>Aesculus carnea</i> , Red Horse-chestnut	<i>Geranium dissectum</i> , Cut-leaved Crane's-bill
<i>Agrostis capillaris</i> , Common Bent	<i>Geranium molle</i> , Dove's-foot Crane's-bill
<i>Agrostis stolonifera</i> , Creeping Bent	<i>Geranium pusillum</i> , Small-flowered Crane's-bill
<i>Alisma plantago-aquatica</i> , Common Water-Plantain	<i>Geranium robertianum</i> , Herb-Robert
<i>Allium pendulinum</i> , Italian Garlic	<i>Geum urbanum</i> , Herb Bennet
<i>Alnus glutinosa</i> , Alder	<i>Glechoma hederacea</i> , Ground-ivy
<i>Anagallis arvensis</i> , Scarlet Pimpernel	<i>Glyceria maxima</i> , Reed Sweet-grass
<i>Angelica sylvestris</i> , Wild Angelica	<i>Hedera helix</i> , Ivy
<i>Anthriscus sylvestris</i> , Cow Parsley	<i>Heracleum sphondylium</i> , Hogweed
<i>Arabis hirsuta</i> , Hairy Rock-cress	<i>Holcus lanatus</i> , Yorkshire-fog
<i>Arctium lappa</i> , Greater Burdock	<i>Hordeum murinum</i> , Wall Barley
<i>Arrhenatherum elatius</i> , False Oat-grass	<i>Humulus lupulus</i> , Hop
<i>Artemisia vulgaris</i> , Mugwort	<i>Hypericum perforatum</i> , Perforate St John's-wort
<i>Arum maculatum</i> , Lords-and-Ladies	<i>Impatiens capensis</i> , Orange Balsam
<i>Atriplex prostrata</i> , Spear-leaved Orache	<i>Juncus articulatus</i> , Jointed Rush
<i>Ballota nigra</i> , Black Horehound	<i>Juncus bufonius</i> agg., Toad Rush agg.
<i>Bellis perennis</i> , Daisy	<i>Juncus effusus</i> , Soft-rush
<i>Betula pendula</i> , Silver Birch	<i>Juncus inflexus</i> , Hard Rush
<i>Bryonia dioica</i> , White Bryony	<i>Lactuca serriola</i> , Prickly Lettuce
<i>Calystegia silvatica</i> , Large Bindweed	<i>Lamium album</i> , White Dead-nettle
<i>Carex hirta</i> , Hairy Sedge	<i>Lapsana communis</i> , Nipplewort
<i>Carex riparia</i> , Greater Pond-sedge	<i>Lathyrus pratensis</i> , Meadow Vetchling
<i>Carpinus betulus</i> , Hornbeam	<i>Lemna minor</i> , Common Duckweed
<i>Centaurea nigra</i> , Common Knapweed	<i>Lemna trisulca</i> , Ivy-leaved Duckweed
<i>Cerastium fontanum</i> , Common Mouse-ear	<i>Ligustrum vulgare</i> , Wild Privet
<i>Cerastium glomeratum</i> , Sticky Mouse-ear	<i>Lolium perenne</i> , Perennial Rye-grass
<i>Ceratophyllum submersum</i> , Soft Hornwort	<i>Lotus corniculatus</i> , Common Bird's-foot-trefoil
<i>Chenopodium ficifolium</i> , Fig-leaved Goosefoot	<i>Lycopus europaeus</i> , Gypsywort
<i>Cirsium arvense</i> , Creeping Thistle	<i>Lythrum salicaria</i> , Purple-loosestrife
<i>Cirsium vulgare</i> , Spear Thistle	<i>Mahonia aquifolium</i> , Oregon-grape
<i>Clematis vitalba</i> , Traveller's-joy	<i>Malva neglecta</i> , Dwarf Mallow
<i>Conium maculatum</i> , Hemlock	<i>Matricaria discoidea</i> , Pineappleweed
<i>Convolvulus arvensis</i> , Field Bindweed	<i>Medicago arabica</i> , Spotted Medick
<i>Conyza canadensis</i> , Canadian Fleabane	<i>Medicago lupulina</i> , Black Medick
<i>Corylus avellana</i> , Hazel	<i>Mentha aquatica</i> , Water Mint
<i>Crataegus monogyna</i> , Hawthorn	<i>Mentha arvensis</i> , Corn Mint
<i>Crepis capillaris</i> , Smooth Hawk's-beard	<i>Moehringia trinervia</i> , Three-nerved Sandwort
<i>Dactylis glomerata</i> , Cock's-foot	<i>Myosotis arvensis</i> , Common Forget-Me-Not
<i>Daucus carota</i> , Wild Carrot	<i>Myosotis secunda</i> , Creeping Forget-me-not
<i>Deschampsia cespitosa</i> subsp. <i>cespitosa</i> , Tufted Hair-grass	<i>Myosoton aquaticum</i> , Water Chickweed
<i>Digitalis purpurea</i> , Foxglove	<i>Nymphaea alba</i> , White Water-lily
<i>Dipsacus fullonum</i> , Teasel	<i>Odontites vernus</i> , Red Bartsia
<i>Epilobium hirsutum</i> , Great Willowherb	<i>Oenanthe aquatica</i> , Fine-leaved Water-dropwort
<i>Epilobium parviflorum</i> , Hoary Willowherb	<i>Oxalis corniculata</i> , Procumbent Yellow-sorrel
<i>Equisetum arvense</i> , Field Horsetail	<i>Papaver somniferum</i> , Opium Poppy
<i>Erigeron acer</i> , Blue Fleabane	<i>Persicaria maculosa</i> , Redshank
<i>Euonymus europaeus</i> , Spindle	<i>Phleum pratense</i> , Timothy
<i>Euphorbia helioscopia</i> , Sun Spurge	<i>Phragmites australis</i> , Common Reed
<i>Fagus sylvatica</i> , Beech	<i>Picris echioides</i> , Bristly Oxtongue
<i>Fallopia baldschuanica</i> , Russian-vine	<i>Plantago lanceolata</i> , Ribwort Plantain
<i>Fallopia japonica</i> , Japanese Knotweed	<i>Plantago major</i> , Greater Plantain
<i>Festuca gigantea</i> , Giant Fescue	<i>Poa annua</i> , Annual Meadow-grass
<i>Festuca rubra</i>	<i>Poa pratensis</i> sens.lat.
<i>Filago vulgaris</i> , Common Cudweed	<i>Polygonum arenastrum</i> , Equal-leaved Knotgrass
<i>Fraxinus excelsior</i> , Ash	<i>Polygonum aviculare</i> , Knotgrass
	<i>Potentilla anserina</i> , Silverweed
	<i>Potentilla reptans</i> , Creeping Cinquefoil

<i>Prunella vulgaris</i> , Selfheal	<i>Stachys sylvatica</i> , Hedge Woundwort
<i>Prunus spinosa</i> , Blackthorn	<i>Stellaria media</i> , Common Chickweed
<i>Pulicaria dysenterica</i> , Common Fleabane	<i>Symphytum</i> sp.   Indet. Comfrey
<i>Quercus ilex</i> , Evergreen Oak	<i>Symphytum officinale</i> x <i>asperum</i> = <i>S. x uplandicum</i> , Russian Comfrey
<i>Quercus robur</i> , Pedunculate Oak	<i>Syringa vulgaris</i> , Lilac
<i>Ranunculus acris</i> , Meadow Buttercup	<i>Taraxacum</i> sp. aggregate
<i>Ranunculus repens</i> , Creeping Buttercup	<i>Torilis japonica</i> , Upright Hedge-parsley
<i>Rhamnus cathartica</i> , Buckthorn	<i>Trifolium repens</i> , White Clover
<i>Rorippa nasturtium-aquaticum</i> agg.	<i>Tripleurospermum inodorum</i> , Scentless Mayweed
<i>Rosa arvensis</i> , Field-rose	<i>Tussilago farfara</i> , Coltsfoot
<i>Rosa canina</i> , Dog-rose	<i>Typha latifolia</i> , Bulrush
<i>Rubus caesius</i> , Dewberry	<i>Ulmus</i> aggregate
<i>Rubus fruticosus</i> agg., Bramble	<i>Ulmus minor</i> agg.
<i>Rubus ulmifolius</i>	<i>Urtica dioica</i> , Common Nettle
<i>Rumex hydrolapathum</i> , Water Dock	<i>Urtica dioica</i> subsp. <i>galeopsifolia</i>
<i>Rumex obtusifolius</i> , Broad-leaved Dock	<i>Veronica chamaedrys</i> , Germaner Speedwell
<i>Rumex palustris</i> , Marsh Dock	<i>Veronica persica</i> , Common Field-speedwell
<i>Rumex sanguineus</i> , Wood Dock	<i>Veronica polita</i> , Grey Field-speedwell
<i>Ruscus aculeatus</i> , Butcher's-broom	<i>Veronica serpyllifolia</i> , Thyme-leaved Speedwell
<i>Salix alba</i> , White Willow	<i>Viburnum lantana</i> , Wayfaring-tree
<i>Salix caprea</i> , Goat Willow	<i>Viburnum opulus</i> , Guelder-rose
<i>Salix cinerea</i> , Common Sallow	<i>Vicia sativa</i> , Common Vetch
<i>Salix viminalis</i> , Osier	<i>Vicia tetrasperma</i> , Smooth Tare
<i>Sambucus nigra</i> , Elder	<i>Vinca major</i> , Greater Periwinkle
<i>Schoenoplectus lacustris</i> , Common Club-rush	<i>Viola hirta</i> , Hairy Violet
<i>Scrophularia auriculata</i> , Water Figwort	
<i>Senecio erucifolius</i> , Hoary Ragwort	183 species plus
<i>Senecio jacobaea</i> , Common Ragwort	
<i>Senecio viscosus</i> , Sticky Groundsel	
<i>Senecio vulgaris</i> , Groundsel	
<i>Silene latifolia</i> , White Campion	
<i>Sisymbrium officinale</i> , Hedge Mustard	
<i>Sonchus arvensis</i> , Perennial Sow-thistle	
<i>Sonchus asper</i> , Prickly Sow-thistle	
<i>Sorbus aucuparia</i> , Rowan	
<i>Spergularia rubra</i> , Sand Spurrey	

### Plant galls with associated plant species,

Recorded by Peter Walker and others

#### Species, Host plant

<i>Aceria acericampestris</i> , Field Maple
<i>Aceria macrochelus</i> , Field Maple
<i>Aculus laevis</i> , Sallow
<i>Aculus tetanothrix</i> , Willow
<i>Andricus aires</i> , Oak
<i>Andricus gemmeus</i> , Oak
<i>Andricus grossulariae</i> , Oak
<i>Andricus kollari</i> , Oak
<i>Andricus quercuscalicis</i> , Oak
<i>Andricus solitarius</i> , Oak
<i>Blennocampa phyllocolpa</i> , Rose
<i>Cynips divisa</i> , Oak
<i>Epitrneurus trilobus</i> , Elder
<i>Eriophyes convolvens</i> , Spindle
<i>Eriophyes inangulis</i> , Alder
<i>Eriophyes laevis</i> , Alder
<i>Eriophyes prunispinosae</i> , Blackthorn
<i>Iteomyia capreae</i> , Sallow

<i>Jaapiella veronicae</i> , Germaner Speedwell
<i>Macrodiplosis dryobia</i> , Oak
<i>Neuroterus albipes</i> , Oak
<i>Neuroterus quercusbaccarum</i> , Oak
<i>Neuroterus tricolor</i> , Oak
<i>Phyllocoptes goniothorax</i> , Hawthorn
<i>Phytoplasmas</i> growth, Willow
<i>Pontania tuberculata</i> , Sallow
<i>Pontania bridgmanii</i> , Sallow
<i>Pontania proxima</i> , Willow
<i>Psyllopsis fraxinii</i> , Ash
<i>Rhabdophaga auritae</i> , Sallow
<i>Rhabdophaga strobilina</i> , Willow

31 species

## Moths and butterflies

Recorded by Barry Dickerson (Latin name, Common name, if there is one, Stage in life cycle)

*Acronicta tridens*, Dark Dagger, Larval  
*Aglais urticae*, Small Tortoiseshell, Adult  
*Bohemannia pulverosella*, Mine  
*Bucculatrix ulmella*, Mine  
*Caloptilia falconipennella*, Mine  
*Caloptilia stigmatella*, Mine  
*Caloptilia syringella*, Mine  
*Cameraria ohridella*, Mine  
*Deilephila elpenor*, Elephant Hawk-moth, Larva  
*Emmetia marginea*, Mine  
*Gonepteryx rhamni*, Brimstone, Adult  
*Lyonetia clerkella*, Apple Leaf Miner, Mine  
*Orgyia antiqua*, Vapourer, Larva  
*Pararge aegeria*, Speckled Wood, Adult  
*Parornix anglicella*, Mine  
*Phalera bucephala*, Buff-tip, Larva  
*Phyllocnistis saligna*, Mine  
*Phyllocnistis unipunctella*, Mine  
*Phyllonorycter acerifoliella*, Mine  
*Phyllonorycter cerasicolella*, Mine  
*Phyllonorycter coryli*, Nut Leaf Blister Moth, Mine  
*Phyllonorycter corylifoliella*, Mine  
*Phyllonorycter esperella*, Mine  
*Phyllonorycter harrisella*, Mine  
*Phyllonorycter heegeriella*, Mine  
*Phyllonorycter lantanella*, Mine  
*Phyllonorycter leucographella*, Firethorn Leaf Miner, Mine

*Phyllonorycter messaniella*, Mine  
*Phyllonorycter spinicolella*, Mine  
*Phyllonorycter stettinensis*, Mine  
*Phyllonorycter tenerella*, Mine  
*Pieris brassicae*, Large White, Adult  
*Pieris rapae*, Small White, Adult  
*Polygonia c-album*, Comma, Adult  
*Polyommatus icarus*, Common Blue, Adult  
*Rivula sericealis*, Straw Dot, Adult  
*Stigmella anomalella*, Rose Leaf Miner  
*Stigmella aurella*, Mine  
*Stigmella crataegella*, Mine  
*Stigmella malella*, Apple Pygmy, Mine  
*Stigmella obliquella*, Mine  
*Stigmella plagicolella*, Mine  
*Stigmella regiella*, Mine  
*Stigmella ruficapitella*, Mine  
*Stigmella salicis*, Mine  
*Stigmella trimaculella*, Mine  
*Vanessa atalanta*, Red Admiral, Adult

'Mine' refers to a moth whose larvae feed on leaf tissue

47 species. NB not all species have common names

## Invertebrates (other)

Recorded by Alan Stubbs

### Butterfly

*Gonepteryx rhamni*, Brimstone  
*Pieris napi*, Green-veined White

### Bush-cricket

*Conocephalus discolor*, Long-winged Conehead  
*Leptophyes punctatissima*, Speckled Bush-cricket  
*Meconema thalassinum*, Oak Bush-cricket

### Cranefly

*Cheilotrichia cinerascens*  
*Dicranomyia morio*  
*Phylidorea ferruginea*  
*Ptychoptera contaminata*  
*Tipula oleracea*

### Damselfly

*Enallagma cyathigerum*, Common Blue Damselfly

### Dragonfly

*Aeshna mixta*, Migrant Hawker  
*Sympetrum striolatum*, Common Darter

### True fly

*Campiglossa misella*  
*Dilophus febrilis*

*Dolichopus griseipennis*

*Dolichopus plumipes*

*Elachiptera cornuta*

*Eriothrix rufomaculatus*

*Hybos culiciformis*

*Lonchoptera lutea*

*Nowickia ferox*

*Opomyza florum*

*Opomyza germinationis*

*Scellus notatus*

*Suillia affinis*

*Suillia variabilis*

*Sylvicola punctata*

*Syntormon pallipes*

*Tephritis hyoscyami*

*Tricholauxania praeusta*

### Grouse-hopper

*Tetrix subulata*, Slender Ground hopper

### Heteropteran bug

*Cymus melanocephalus*

*Deraeocoris ruber*

*Dolichonabis limbata*

*Orthops campestris*  
*Orthops kalmi*  
*Stenodema laevigata*  
**Hoverfly**  
*Cheilosia pagana*  
*Cheilosia proxima*  
*Cheilosia soror*  
*Eristalis perinax*  
*Helophilus hybridus*  
*Melangyna labiatarum*  
*Myathropa florea*  
*Volucella pellucens*  
**Leaf-hopper**  
*Cicadella viridis*  
*Philaeus spumareus* Common Froghopper  
**Moth**

*Deilephila elpenor*, Elephant Hawk  
**Robberfly**  
*Machimus atricapilus*  
**Sawfly**  
*Athalia rosae*  
**Snail-killing fly**  
*Sepedon sphegeus,*  
**Snipe fly**  
*Chrysopilus asiliformis,*  
*Chrysopilus cristatus,*  
**Soldierfly**  
*Chorisops nagatomi*

55 species

### Recorded by Ian Dawson

**Beetles**  
*Calvia 14-guttata*, Cream-spot Ladybird  
*Harmonia axyridis*, Harlequin Ladybird  
**Earwig**  
*Forficula auricularia*, Common Earwig  
**True bugs**  
*Aphrophora alni*  
*Cacopsylla peregrina*  
*Empicoris vagabundus*  
*Iassus lanio*  
*Palomena prasina*, Green Shieldbug  
*Pentatomma rufipes*, Forest Bug  
*Physatocheila dumetorum*  
*Troilus luridus*, Bronze Shieldbug  
**Bees & wasps etc**  
*Vespa crabro*, Hornet  
**Butterflies & moths**  
*Acronicta rumicis*, Knot-grass  
*Maniola jurtina*, Meadow Brown  
*Tinea semifulvella*  
**Dragonflies**  
*Aeshna cyanea*, Southern Hawker  
*Aeshna grandis*, Brown Hawker  
*Aeshna mixta*, Migrant Hawker  
*Sympetrum sanguineum*, Ruddy Darter  
*Sympetrum striolatum*, Common Darter  
**Grasshoppers etc.**  
*Conocephalus discolor*, Long-winged Conehead  
*Leptophyes punctatissima*, Speckled Bush Cricket

### Barklice, Booklice, Psocids

*Cerobasis guestfalica*  
*Ectopsocus briggsi*  
*Ectopsocus petersi*  
*Stenopsocus immaculatus*  
*Stenopsocus stigmaticus*  
*Valenzuela flavidus*  
**Spiders**  
*Araneus diadematus*, Garden Spider  
*Araneus quadratus*  
*Bathyphantes gracilis*  
*Clubiona comta*  
*Larinoides cornutus*  
*Lepthyphantes tenuis*  
*Metellina segmentata*  
*Neriene montana*  
*Paidiscura pallens*  
*Philodromus aureolus*  
*Theridion tinctum*  
*Theridion varians*  
**Harvestmen**  
*Dicranopalpus ramosus*  
*Leiobunum rotundum*  
*Paroligolophus agrestis*

43 species

---

### Recorded by Ian and Christine McLean

**True bug**  
*Aphrophora alni*  
**True fly**  
*Bicellaria vana*  
*Chalcosyrphus nemorum*  
*Chrysoperla carnea*  
*Coenosia infantula*  
*Episyrrhus balteatus*  
*Fannia serena*

*Opomyza florum*  
*Scaptomyza pallida*  
**Lacewing**  
*Ectopsocus briggsi*,  
**Hoverfly**  
*Episyrrhus balteatus*, Marmalade Hoverfly  
**Butterfly**  
*Polyommatus icarus*, Common Blue butterfly

**Booklouse**  
*Tamarixia upis,*

13 species

---

## Diptera recorded by Jonathan Cole

Recording was confined to the area south of River Lane at TL215698 . No species of note were found.

### Bibionidae (March flies and lovebugs)

*Dilophus febrilis* (L.)

### Sciaridae (Dark-winged fungus gnats)

*Schwenkfeldina carbonaria* (Meigen)

### Psychodidae (Moth flies or drain flies)

*Boreoclytocerus ocellaris* (Meigen)

### Chaoboridae (Phantom midges)

*Chaoborus crystallinus* (De Geer)

### Stratiomyidae (Soldier flies)

*Chorisops tibialis* (Meigen)

### Hybotidae (Dance flies)

*Bicellaria vana* Collin

*Ocydromia glabricula* (Fallén)

*Platypalpus pseudofulvipes* (Frey)

### Dolichopodidae (Long-legged flies)

*Argyra leucocephala* (Meigen)

*Dolichopus griseipennis* Stannius

*Poecilobothrus nobilitatus* (L.)

*Rhaphium appendiculatum* Zetterstedt

*Sympycnus desoutteri* Parent

*Xanthochlorus galbanus* Chandler & Negrobov

### Syrphidae (Flower flies)

*Episyphus balteatus* (De Geer)

### Lonchopteridae (Spear-winged flies)

*Lonchoptera bifurcata* Fallén

*Lonchoptera lutea* Panzer

### Psilidae (Rust flies)

*Chamaepsila rosae* (Fabricius)

### Conopidae (Thick-headed flies)

*Conops quadrifasciata* De Geer

### Lauaxiidae (Acalyptrate flies)

*Meiosimyza rorida* (Fallén)

*Tricholauxania praeusta* (Fallén)

### Sciomyzidae (Marsh flies)

*Tetanocera ferruginea* Fallén

### Sepsidae (Black scavenger flies)

*Nemopoda nitidula* (Fallén)

### Agromyzidae (Leaf-miner flies)

*Agromyza albipennis* Meigen

*Phytomyza ranunculi* (Schrank)

### Opomyzidae (Acalyptrate)

*Geomysa tripunctata* Fallén

*Opomyza florum* (Fabricius)

*Opomyza petrei* Mesnil

### Anthomyzidae

*Anthomyza gracilis* Fallén

### Chloropidae (Frit flies)

*Elachiptera cornuta* (Fallén)

*Thaumatomyia notata* (Meigen)

### Heleomyzidae (Sun flies)

*Suillia variegata* (Loew)

### Sphaeroceridae (Small dung flies)

*Opacifrons coxata* (Stenhammar)

*Pseudocollinella humida* (Haliday)

*Rachispoda lutescens* (Stenhammar)

*Rachispoda lutoidea* (Duda)

### Drosophilidae (Fruit flies)

*Scaptomyza flava* (Fallén)

*Scaptomyza pallida* (Zetterstedt)

### Ephydriidae (Shore flies)

*Hydrellia maura* Meigen

*Parydra coarctata* (Fallén)

*Parydra fossarum* (Haliday)

*Scatella paludum* (Meigen)

### Anthomyiidae (Root-maggot flies)

*Botanophila fugax* (Meigen)

*Delia coarctata* (Fallén)

### Fanniidae

*Fannia serena* Fallén

### Muscidae (House flies)

*Azelia cilipes* (Haliday)

*Coenosia agromyzina* (Fallén)

*Coenosia infantula* Rondani

*Coenosia tigrina* (Fabricius)

*Hebecnema nigra* (Robineau-Desvoidy)

*Hebecnema vespertina* (Fallén)

*Helina impuncta* (Fallén)

*Limnophora triangula* (Fallén)

### Calliphoridae (Blow flies)

*Pollenia griseotomentosa* (Jacentkovský)

*Pollenia rudis* (Fabricius)

[jon.cole29@o2.co.uk](mailto:jon.cole29@o2.co.uk)

55 species

---